

ROUDYBUSH

NEW!

**ROUDYBUSH
FOR ALL BIRDS**



ROUDYBUSH™, brand bird food is internationally renowned and recognized by avian veterinarians and breeders as being a more complete nutritional diet over traditional bird seed.

**World Famous Zoos, Avian Veterinarians & Breeders Buy ROUDYBUSH
For Their Valuable Pets**

- ♥ Ensures a More Balanced Diet
- ♥ More Complete Nutritional Diet Over Bird Seed
- ♥ Eliminates Waste and Mess
- ♥ High Quality, Natural Ingredients
- ♥ No Animal By-Products
- ♥ No Artificial Colors or Flavors
- ♥ Gentle Steam Cooking Preserves Nutrients

Research shows that what a bird eats greatly influences how he looks, acts and feels. The nutrients he takes in helps generate new feathers and tissue, fuels his activity and maintains his body functions. Poor nutrition can and often does lead to behavioral problems and disease.

ROUDYBUSH is not just a premium bird food product. Founder Tom Roudybush is a world renowned expert in avian nutrition. It is lucky for bird lovers that in 1985, Mr. Roudybush decided to share his years of study, research and teaching with avian enthusiasts by formulating and manufacturing a bird food product based on that knowledge. Thus, the company and its products are named after Mr. Roudybush.

Mr. ROUDYBUSH's research began at the Department of Avian Sciences, University of California, Davis. While he continues to do research there today, he is also involved in and supports nutritional research and aviculture projects around the world. This assures that **ROUDYBUSH** diets will be as advanced as any available.



ROUDYBUSH SUPPLEMENTS



“LORY NECTAR”

Lory Nectar is a highly palatable, nutritious maintenance diet for lorries, lorikeets and other nectarivorous bird species. Lory Nectar provides owners the flexibility of offering their birds a variety of wet and dry foods. It can be fed dry or mixed with about one part dry nectar to three parts water. Lory Nectar can also be fed in conjunction with a variety of other foods, such as fresh fruits and vegetables, treats or Roudybush Daily Maintenance. 15% protein 3.5% fat

“NECTAR 3”

Adult hummingbirds.

Maintenance of adult hummingbirds. Provides high energy required by active adult hummingbirds. 3% protein 3.5% fat

“NECTAR 9”

Hummingbirds from 3-7 weeks of age; other nectar-eating birds.

Maintenance of hummingbirds from 3-7 weeks. Provides high levels of nutrition needed by maturing hummingbirds. 9% protein 3.5% fat

“NECTAR 15”

Nectar 15 is used for hummingbirds from hatching to 3 weeks.

It is formulated with a high percentage of protein essential for newly hatched chicks. 14% protein 2.75% fat

“MEDICATED”

Consult with veterinarian for use in granivorous birds infected with chlamydia or CTC-responsive bacteria.

For flock treatment of chlamydiosis or other CTC-responsive bacterial infections. Treatment through food vs. injection or other forms of oral administration.

“ORIGINAL HAND FEEDING FORMULA”

Preferred by some over the Formula 3 Hand-Feeding diet, the Original Hand-Feeding Formula may be used for most seed-eating birds. This diet has 50% less fat than the new Formula 3 Hand-Feeding Formula. Calcium and vitamin D3 levels are higher in the Original Hand-Feeding Formula. Hand feeding most granivorous birds from hatch to weaning.

“SQUAB FORMULA”

Formulated to closely mimic the nutrition found in crop milk. This Roudybush formula has 50% protein, 3.5% fat and 1.45% calcium. It is made of the highest quality and meets human food consumption standards. No additional supplements are needed. Amount of water to be mixed with the formula changes as the bird grows; younger squab require more water. Squab started on this formula at hatch are as healthy and robust as squab reared by their parents. Suggested for Pigeons from hatch to 1-2 weeks of age. Doves from hatch to 1-2 weeks of age.

BREEDER				
LARGE	MEDIUM	SMALL	MINI	CRUMBLE
Lg. Macaw	Lg. Macaw	Dwarf Macaw	Cockatiel	Cockatiel
Lg. Cockatoo	Lg. Cockatoo	Sm. Cockatoo	Lovebird	Lovebird
	Dwarf Macaw	Cockatiel	Parakeet	Parakeet
	Sm. Cockatoo	Lovebird	Conure	Conure
		Pionus	Canary	Canary
		Conure	Ringneck	Parrolet
		Lg. Lory	Caique	
		Sm. Lory		
		Rosella		
		Neophemas		
		Quaker		

HIGH-ENERGY BREEDER FORMULA				
LARGE	MEDIUM	SMALL	MINI	CRUMBLE
Lg. Macaw	Lg. Macaw	Dwarf Macaw	Cockatiel	Cockatiel
Lg. Cockatoo	Lg. Cockatoo	Sm. Cockatoo	Lovebird	Lovebird
	Dwarf Macaw	Cockatiel	Parakeet	Parakeet
	Sm. Cockatoo	Lovebird	Conure	Conure
	Pionus	Pionus	Canary	Canary
	Amazon	Conure	Sm. Lory	Sm. Lory
	Conure	Lg. Lory	Parrolet	Parrolet
	Lg. Lory	Sm. Lory	Ringneck	Ringneck
	Rosella	Rosella	Caique	Caique
	Quaker	Neophemas		
	African Grey	Quaker		

ROUDYBUSH SUPPLEMENTS

NEW!

ROUDYBUSH PRODUCT LINE

Roudybush is 100% Edible. 20-70% of seed mix waste. Obtaining a balanced diet with seed is dependent on what the bird selects to eat of the offering. Birds will likely choose the high fat seeds first leaving the important nutrients in the dish or on the bottom of the cage.

Roudybush pellets contain essential vitamins and minerals thus preventing selective eating & poor nutrition.

Seed diets with multiple grains encourage selective eating, lessening, balanced nutrition.

Roudybush's steam pelleting process eliminates potentially harmful bacteria, fungi and insects. Other pellet products are boiled, not steamed, which destroys valuable nutrients and fiber.



DAILY MAINTENANCE

LARGE	MEDIUM	SMALL	MINI	CRUMBLE
Lg. Macaw	Lg. Macaw	Dwarf Macaw	Cockatiel	Cockatiel
Lg. Cockatoo	Lg. Cockatoo	Sm. Cockatoo	Lovebird	Lovebird
	Dwarf Macaw	Cockatiel	Parakeet	Parakeet
	Sm. Cockatoo	Lovebird	Conure	Conure
	Pionus	Pionus	Canary	Canary
	Amazon	Conure	Sm. Lory	Sm. Lory
	Conure	Lg. Lory	Parrolet	Parrolet
	Lg. Lory	Sm. Lory	Ringneck	Ringneck
	Rosella	Rosella	Caique	Caique
	Quaker	Neophemas	African Grey	

LOW-FAT DAILY MAINTENANCE

LARGE	MEDIUM	SMALL	MINI	CRUMBLE
Lg. Macaw	Lg. Macaw	Dwarf Macaw	Cockatiel	Cockatiel
Lg. Cockatoo	Lg. Cockatoo	Sm. Cockatoo	Lovebird	Lovebird
		Cockatiel	Parakeet	Parakeet
		Lovebird	Conure	Conure
		Pionus	Canary	Canary
		Conure	Ringneck	Parrolet
		Lg. Lory	Caique	
		Sm. Lory		
		Rosella		
		Neophemas		

"DAILY MAINTENANCE"

Daily Maintenance is a highly palatable diet for the average bird and supplies nutrients needed to allow birds to look their best and to live long, healthy lives. Daily Maintenance has roughly 8% fat and 21% of its calories are derived from fat. Perfect diet for individual birds that tend to be too thin due to high activity levels or low food consumption. Daily maintenance is also for birds that are housed in cool or cold temperatures where a higher calorie intake is needed.

"LOW-FAT DAILY MAINTENANCE"

Low-Fat Daily Maintenance is specifically designed for the bird that tends to overeat and become overweight. Owners may continue to offer their bird a nutritious, palatable diet on a free choice basis. Contains roughly 3% fat and 9% of its calories are derived from fat.

"BREEDER"

Roudybush breeder diets should be fed any time parents are feeding chicks. It supplies the high levels of nutrients needed for growth in chicks. During egg laying and incubation, breeder can be fed mixed with maintenance diets. Continue feeding breeder diet until chicks are either taken from parents for hand feeding or at least until the chick has weaned.

"HIGH-ENERGY BREEDER FORMULA"

Formulated for birds that need to feed their chicks a high energy diet to obtain optimal growth. Although specific species requirements have yet to be established, some aviculturists feel that specific species, most notably macaws, need higher energy levels during growth. Continue the high-energy diet until the birds end their breeding season. Return birds to maintenance pellets when the season has ended. Aviculturists report brighter, glossier feathers in both breeders and chicks; bigger; healthier chicks; and resolution of many nutrition related problems such as thin eggshells or crippled chicks. 7% fat 21% of its calories are derived from fat.

"FORMULA 3 HAND-FEEDING FORMULA"

Formula 3 Hand-Feeding Formula is a diet formulated with a higher fat content than the Original Hand-Feeding Formula and allowing for longer times between feedings. Formula 3 contains less calcium and Vitamin D3 which addresses the concern many avian veterinarians have for elevated amounts of vitamins and minerals which may damage the kidneys of baby chicks. Formula 3 mixes and feeds with greater ease due to its thinner, smoother consistency thus it flows through syringes and feeding tubes easier. The higher content makes Formula 3 especially useful in larger psittacine and granivorous species from hatch to weaning.

